UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/580,268	05/25/2006	Simone Bizzarri	09952.0040	2575
22852 7590 10/13/2009 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER		EXAMINER		
LLP			GEBRESILASSIE, KIBROM K	
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413			ART UNIT	PAPER NUMBER
	,		2128	
			MAIL DATE	DELIVERY MODE
			10/13/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/580,268	BIZZARRI ET AL.				
Office Action Summary	Examiner	Art Unit				
	KIBROM GEBRESILASSIE	2128				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 66(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	Lely filed the mailing date of this communication. (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>15 Ju</u>	ne 2009					
<i>;</i>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>22,24-31 and 33-42</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
5)						
7) Claim(s) is/are objected to.						
	election requirement					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite				

Art Unit: 2128

DETAILED ACTION

1. This communication is responsive to amended application filed on 06/15/2009.

2. Claims 22, 24-31, and 33-42 presented for examination.

Response to Arguments

- 3. Applicant's argument/amendment relating to 112, second paragraph, rejection is persuasive and therefore the rejection is **withdrawn**.
- 4. Applicant's amendment relating to 101 rejection is considered and therefore the rejection is **withdrawn**.
- 5. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection. Applicant's amendment necessitated the new ground(s) of rejection.

Priority

6. Acknowledgment is made of applicant's claim for a benefit of National stage application No. PCT/IT2003/000783 (filed November 27, 2003) under 35 USC 120, 121, or 365(c).

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2128

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. Claims 22, 24-31, and 33-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Publication No. 2002/0145982 issued to Talpade et al with US Publication No. 2003/0100299 issued to Ko et al.
 - a. As per Claims 1-21 (Cancelled).
 - b. As per Claim 22, Talpade et al discloses a method, implemented using a computer system comprising a processor and a memory, for simulating a communications network through objects that model respective network devices, comprising the steps of:

Simulating, using the computer, through said objects the supply of network services according to respective quality of service profiles (such as...simulator may simulate the classes of traffic and determine QoS mechanisms based on the simulation...; See: [0025]; Fig. 2 #200);

selectively identifying, using the computer, at least one quality of service profile (such as...identifying the classes of traffic and associated QoS criteria, the ISP may identify a set of applications...each class of traffic may support one or

Art Unit: 2128

more applications,...application may include voice-over IP, Web TCP...; See: [0024]; Fig. 2 #210); and

Page 4

dynamically configuring said objects, using the computer, to simulate the supply of the service corresponding to said selectively identified quality of service profile (such as...based on the determined QoS mechanisms, their associated parameters, and the determined multiplexing gain, the admission controller may configure one or more of the nodes...(See: [0029])...the simulation environment in simulator may be configured based on the network model, the source models, and the chosen simulation variables...(See: [0037]; Fig. 2 #240, #270); and

inserting, for at least one network user, a respective parameter related to a particular respective quality of service profile, wherein the steps are applied for simulating networks (such as...simulator 160 may simulate the classes of traffic and determine QOS mechanisms based on the simulation, for example, the bandwidth information on links, the traffic source models, and the QOS criteria (i.e. parameter) provided....; See: par [0025]; Fig. 2 #220).

Talpade et al discloses communication between customer sites and different routers. However, Talpade et al fails expressly to disclose mobile terminals cooperating with blocks or network devices, and wherein said parameter is transferred from said terminal to said block or network device.

Ko et al discloses mobile terminals cooperating with blocks or network devices, and wherein said parameter is transferred from said terminal to said block or network device (such as...the test traffic (i.e. parameter) may be sent to

Art Unit: 2128

Page 5

or received from the further device (i.e. mobile communication (See: par [0099] lines 4-10) by the terminal 508...; See: par [0099]-[0100]).

It would have been obvious to one of ordinary skill in the art to combine the teaching of Ko et al with the teaching of Talpade et al because both references drawn to monitoring network system performance. The motivation to do so would be able to investigate the functioning of the network (Ko et al).

- c. As per Claim 23, Canceled.
- d. As per Claim 24, Talpade et al discloses the method according to claim 22, comprising the steps of: selectively associating, using the computer, to a plurality of network users respective quality of service profiles (See: [0034]); and performing at least one simulation, using the computer, in which every user uses a different service from that used by other users of said plurality (See: [0038]).
- e. As per Claim 25, Talpade et al discloses the method according to claim 22, wherein the steps are applied, using the computer, for simulating networks comprising mobile terminals, said quality of service profile comprising parameters chosen from the group of: traffic class (such as "traffic class requirement"; See: Fig. 3), maximum transfer time of a data unit (such as "amount of time the traffic is on or off"; See: par [0023]), guaranteed transfer speed for data transmitted by mobile terminal toward the network (such as "available bandwidth"; See: par [0028]), maximum transfer speed for data transmitted from mobile terminal toward the network (such as "sufficient bandwidth"; See: par [0028]), guaranteed transfer speed for data transmitted by the network toward a mobile terminal (such

Art Unit: 2128

as "available bandwidth"; See: par [0028]), and maximum transfer speed for data transmitted by the network toward a mobile terminal (such as "sufficient bandwidth"; See: par [0028]).

f. As per Claim 26, Talpade et al discloses the method according to claim 22, wherein the steps are applied, using the computer, for simulating networks comprising mobile terminals connected through radio interfaces, comprising respective control modules of calls, the method comprises the step of directly sending said parameter from said control module of the mobile terminal toward the control module of the switching centre in view of the forwarding of said parameter to modules of the related radio interfaces that start the connection according to the type of service pointed out in said parameter (such as...when the first customer site wishes to communicate with another customer site, the first customer site may send to the admission controller a request for connection...(See: [0028])...based on the determined QoS mechanisms, their associated parameters, and the determined multiplexing gain, the admission controller may configure one or more of the nodes...; See: [0030]).

Talpade et al fails expressly to disclose a switching centre.

However, Ko et al discloses a switching centre (such as...the network has a hierarchical structure in which a plurality of base station controllers is connected to Mobile services switching Centre (MSC)...; See: Col. 1 [005]).

It would have been obvious to one ordinary skill in the art to combine the teaching of Ko et al with the teaching of Talpade et al because both reference

Art Unit: 2128

Page 7

concern with network performance. The motivation to do so would be able to access details of the network functionality and in particular able to determine the response of the network to an individual call (Ko et al).

As per Claim 27, Talpade et al discloses the method according to claim g. 22, wherein the steps are applied, using the computer, for simulating networks comprising mobile terminals connected through radio interfaces to a network node, said mobile terminals and said network node comprising respective modules for managing the mobile terminal session and for managing the support node session, the method comprises the step of directly sending said parameter from said module for managing the mobile terminal session toward said module for managing the support node session in view of the forwarding of such parameter to the modules of the related radio interfaces that start the connection according to the type of service pointed out in said parameter (such as...when the first customer site wishes to communicate with another customer site, the first customer site may send to the admission controller a request for connection ...(See: [0028])...based on the determined QoS mechanisms, their associated parameters, and the determined multiplexing gain, the admission controller may configure one or more of the nodes...; See: [0030]).

Talpade et al fails expressly to disclose packet switching call. However,

Ko et al discloses a switching centre (See: Fig. 2 #212 and corresponding texts).

It would have been obvious to one ordinary skill in the art to combine the teaching of Ko et al with the teaching of Talpade et al because both reference

Art Unit: 2128

concern with network performance. The motivation to do so would be able to access details of the network functionality and in particular able to determine the response of the network to an individual call (Ko et al).

Page 8

- h. As per Claim 28, Talpade et al discloses the method according to claim 22, wherein the steps are applied, using the computer, for simulating networks comprising mobile terminals cooperating with blocks responsible for starting the connection, wherein, in case of simulation of a call originated from a terminal, said parameter is specified by said terminal to said blocks during the procedure for starting the connection (such as...when the first customer site wishes to communicate with another customer site, the first customer site may send to the admission controller a request for connection...(See: [0028])...based on the determined QoS mechanisms, their associated parameters, and the determined multiplexing gain, the admission controller may configure one or more of the nodes...; See: [0030]).
- i. As per Claim 29, Talpade et al discloses the method according to claim 22, wherein the steps are applied, using the computer, for simulating networks comprising mobile terminals cooperating with blocks responsible for starting the connection, wherein, in case of simulation of a terminated call toward a determined network terminal, comprises the step of taking said parameter from the terminal object of the call, said taking step being performed by said blocks responsible for starting the connection (such as...when the first customer site wishes to communicate with another customer site, the first customer site may

Art Unit: 2128

send to the admission controller a request for connection...(See: [0028])...based on the determined QoS mechanisms, their associated parameters, and the determined multiplexing gain, the admission controller may configure one or more of the nodes...; See: [0030]).

- j. As per Claim 30, Talpade et al discloses the method according to claim 22, wherein the steps are applied, using the computer, for simulating networks comprising mobile terminals cooperating with network devices, comprising, in case of simulation of a terminated call on a mobile terminal, the step of sending the indication of connection start beginning from simulated network devices omitting the indication of what quality of service profile to use and obtaining said profile from the mobile terminal to which the call is directed (such as...when the first customer site wishes to communicate with another customer site, the first customer site may send to the admission controller a request for connection...(See: [0028])...based on the determined QoS mechanisms, their associated parameters, and the determined multiplexing gain, the admission controller may configure one or more of the nodes...; See: [0030]).
- k. As per Claim 31, the instant claims recite substantially same limitation as the above rejected claims 22, and therefore rejected under the same rationale.
- I. As per Claim 32, Canceled.
- m. As per Claims 33-42, the instant claims recite substantially same limitation as the above rejected claims 24-30, and therefore rejected under the same rationale.

Art Unit: 2128

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KIBROM GEBRESILASSIE whose telephone number is (571)272-8571. The examiner can normally be reached on Monday-Friday 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamini Shah can be reached on (571)272-2279. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Art Unit: 2128

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kamini S Shah/ Supervisory Patent Examiner, Art Unit 2128

/KIBROM GEBRESILASSIE/ Examiner, Art Unit 2128